


Stacks



Outline and Reading

- ◆ The Stack ADT (§2.1.1)
- ◆ Applications of Stacks (§2.1.1)
- ◆ Array-based implementation (§2.1.1)
- ◆ Growable array-based stack (§1.5)

Abstract Data Types (ADTs)

- ◆ An abstract data type (ADT) is an abstraction of a data structure
- ◆ An ADT specifies:
 - Data stored
 - Operations on the data
 - Error conditions associated with operations
- ◆ Example: ADT modeling a simple stock trading system
 - The data stored are buy/sell orders
 - The operations supported are
 - ◆ order **buy**(stock, shares, price)
 - ◆ order **sell**(stock, shares, price)
 - ◆ void **cancel**(order)
 - Error conditions:
 - ◆ Buy/sell a nonexistent stock
 - ◆ Cancel a nonexistent order

The Stack ADT

- ◆ The **Stack** ADT stores arbitrary objects
- ◆ Insertions and deletions follow the last-in first-out scheme
- ◆ Think of a spring-loaded plate dispenser
- ◆ Main stack operations:
 - **push**(object): inserts an element
 - object **pop**(): removes and returns the last inserted element
- ◆ Auxiliary stack operations:
 - object **top**(): returns the last inserted element without removing it
 - integer **size**(): returns the number of elements stored
 - boolean **isEmpty**(): indicates whether no elements are stored

Exceptions

- ◆ Attempting the execution of an operation of ADT may sometimes cause an error condition, called an exception
- ◆ Exceptions are said to be “thrown” by an operation that cannot be executed
- ◆ In the Stack ADT, operations pop and top cannot be performed if the stack is empty
- ◆ Attempting the execution of pop or top on an empty stack throws an `EmptyStackException`

Applications of Stacks

◆ Direct applications

- Page-visited history in a Web browser
- Undo sequence in a text editor
- Chain of method calls in the Java Virtual Machine

◆ Indirect applications

- Auxiliary data structure for algorithms
- Component of other data structures


Method Stack in the JVM

- ◆ The Java Virtual Machine (JVM) keeps track of the chain of active methods with a stack
- ◆ When a method is called, the JVM pushes on the stack a frame containing
 - Local variables and return value
 - Program counter, keeping track of the statement being executed
- ◆ When a method ends, its frame is popped from the stack and control is passed to the method on top of the stack

```
main() {  
    int i = 5;  
    foo(i);  
}
```

```
foo(int j) {  
    int k;  
    k = j+1;  
    bar(k);  
}
```

```
bar(int m) {  
    ...  
}
```



Array-based Stack

- ◆ A simple way of implementing the Stack ADT uses an array
- ◆ We add elements from left to right
- ◆ A variable keeps track of the index of the top element

Algorithm *size()*

return $t + 1$

Algorithm *pop()*

if *isEmpty()* **then**

throw *EmptyStackException*

else

$t \leftarrow t - 1$


return $S[t + 1]$



Array-based Stack (cont.)

- ◆ The array storing the stack elements may become full
- ◆ A push operation will then throw a **FullStackException**
 - Limitation of the array-based implementation
 - Not intrinsic to the Stack ADT

```
Algorithm push(o)  
  if  $t = S.length - 1$  then  
    throw FullStackException  
  else  
     $t \leftarrow t + 1$   
     $S[t] \leftarrow o$ 
```



Performance and Limitations

◆ Performance


- Let n be the number of elements in the stack
- The space used is $O(n)$
- Each operation runs in time $O(1)$

◆ Limitations

- The maximum size of the stack must be defined a priori and cannot be changed
- Trying to push a new element into a full stack causes an implementation-specific exception

Computing Spans

- ◆ We show how to use a stack as an auxiliary data structure in an algorithm
- ◆ Given an array X , the span $S[i]$ of $X[i]$ is the maximum number of consecutive elements $X[j]$ immediately preceding $X[i]$ and such that $X[j] \leq X[i]$
- ◆ Spans have applications to financial analysis
 - E.g., stock at 52-week high



X	6	3	4	5	2
S	1	1	2	3	1

Quadratic Algorithm

Algorithm *spans1*(X, n)

Input array X of n integers

Output array S of spans of X

$S \leftarrow$ new array of n integers

for $i \leftarrow 0$ **to** $n - 1$ **do**

$s \leftarrow 1$

while $s \leq i \wedge X[i - s] \leq X[i]$

$s \leftarrow s + 1$

$S[i] \leftarrow s$

return S

#

n

n

n

$1 + 2 + \dots + (n - 1)$

$1 + 2 + \dots + (n - 1)$


n

1

◆ Algorithm *spans1* runs in $O(n^2)$ time

Computing Spans with a Stack

- ◆ We keep in a stack the indices of the elements visible when “looking back”
- ◆ We scan the array from left to right
 - Let i be the current index
 - We pop indices from the stack until we find index j such that $X[i] < X[j]$
 - We set $S[i] \leftarrow i - j$
 - We push x onto the stack



Linear Algorithm

- ◆ Each index of the array
 - Is pushed into the stack exactly one
 - Is popped from the stack at most once
- ◆ The statements in the while-loop are executed at most n times
- ◆ Algorithm *spans2* runs in $O(n)$ time

Algorithm <i>spans2</i> (X, n)	#
$S \leftarrow$ new array of n integers	n
$A \leftarrow$ new empty stack	1
for $i \leftarrow 0$ to $n - 1$ do	n
while $(\neg A.isEmpty() \wedge$	
$X[A.top()] \leq X[i])$ do	n
$A.pop()$	n
if $A.isEmpty()$ then	n
$S[i] \leftarrow i + 1$	n
else	
$S[i] \leftarrow i - A.top()$	n
$A.push(i)$	n
return S	1

Growable Array-based Stack

- ◆ In a push operation, when the array is full, instead of throwing an exception, we can replace the array with a larger one
- ◆ How large should the new array be?
 - incremental strategy: increase the size by a constant c
 - doubling strategy: double the size

```
Algorithm push(o)  
  if  $t = S.length - 1$  then  
     $A \leftarrow$  new array of  
      size ...  
    for  $i \leftarrow 0$  to  $t$  do  
       $A[i] \leftarrow S[i]$   
       $S \leftarrow A$   
     $t \leftarrow t + 1$   
     $S[t] \leftarrow o$ 
```

Comparison of the Strategies

- ◆ We compare the incremental strategy and the doubling strategy by analyzing the total time $T(n)$ needed to perform a series of n push operations
- ◆ We assume that we start with an empty stack represented by an array of size 1
- ◆ We call amortized time of a push operation the average time taken by a push over the series of operations, i.e., $T(n)/n$

Incremental Strategy Analysis

- ◆ We replace the array $k = n/c$ times
- ◆ The total time $T(n)$ of a series of n push operations is proportional to

$$\begin{aligned}n + c + 2c + 3c + 4c + \dots + kc &= \\n + c(1 + 2 + 3 + \dots + k) &= \\n + ck(k + 1)/2\end{aligned}$$

- ◆ Since c is a constant, $T(n)$ is $O(n + k^2)$, i.e., $O(n^2)$
- ◆ The amortized time of a push operation is $O(n)$


Doubling Strategy Analysis

- ◆ We replace the array $k = \log_2 n$ times
- ◆ The total time $T(n)$ of a series of n push operations is proportional to

$$n + 1 + 2 + 4 + 8 + \dots + 2^k =$$
$$n + 2^{k+1} - 1 = 2n - 1$$

- ◆ $T(n)$ is $O(n)$
- ◆ The amortized time of a push operation is $O(1)$

geometric series



Stack Interface in Java

- ◆ Java interface corresponding to our Stack ADT
- ◆ Requires the definition of class `EmptyStackException`
- ◆ Different from the built-in Java class `java.util.Stack`

```
public interface Stack {  
    public int size();  
    public boolean isEmpty();  
    public Object top()  
        throws EmptyStackException;  
    public void push(Object o);  
    public Object pop()  
        throws EmptyStackException;  
}
```

Array-based Stack in Java

```
public class ArrayStack
    implements Stack {

    // holds the stack elements
    private Object S[ ];

    // index to top element
    private int top = -1;

    // constructor
    public ArrayStack(int capacity) {
        S = new Object[capacity];
    }
}
```

```
public Object pop()
    throws EmptyStackException {
    if isEmpty()
        throw new EmptyStackException
            ("Empty stack: cannot pop");
    Object temp = S[top];
    // facilitates garbage collection
    S[top] = null;
    top = top - 1;
    return temp;
}
```